

---

**.. toctree:: +**

**toctree-plus**

*Release 0.6.1*

**Enhanced Sphinx TocTree which shows classes,  
functions etc. as if they were sections.**

**Dominic Davis-Foster**

**Apr 24, 2024**



# Contents

<b>1</b>	<b>Usage</b>	<b>1</b>
1.1	Installation . . . . .	1
1.2	Configuration . . . . .	1
<b>2</b>	<b>.. toctree:: + Demo</b>	<b>3</b>
2.1	AClass . . . . .	3
2.2	months . . . . .	3
2.3	a_function . . . . .	3
<b>3</b>	<b>API Reference</b>	<b>5</b>
3.1	TocTreePlusCollector . . . . .	5
3.2	setup . . . . .	5
<b>4</b>	<b>Downloading source code</b>	<b>7</b>
4.1	Building from source . . . . .	8
<b>5</b>	<b>License</b>	<b>9</b>
	<b>Python Module Index</b>	<b>11</b>
	<b>Index</b>	<b>13</b>



## 1.1 Installation

### 1.1.1 from PyPI

```
$ python3 -m pip install toctree_plus --user
```

### 1.1.2 from Anaconda

First add the required channels

```
$ conda config --add channels https://conda.anaconda.org/conda-forge
$ conda config --add channels https://conda.anaconda.org/domdfcoding
```

Then install

```
$ conda install toctree_plus
```

### 1.1.3 from GitHub

```
$ python3 -m pip install git+https://github.com/sphinx-toolbox/toctree_plus@master --user
```

---

Enable `toctree_plus` by adding the following to the `extensions` variable in your `conf.py`:

```
extensions = [
    ...
    'sphinxcontrib.toctree_plus',
]
```

For more information see

<https://www.sphinx-doc.org/en/master/usage/extensions#third-party-extensions>.

## 1.2 Configuration

### `toctree_plus_types`

**Type:** `Dict[str]`

**Default:** `{"class", "function", "method"}`

This determines the directive types that appear in the toctree.



## .. toctree:: + Demo

This idea has been suggested in [sphinx-doc/sphinx#6316](#) and [sphinx-doc/sphinx#6435](#).

You can see `toctree-plus` in action in [this project's documentation](#), and the documentation for [domdf-python-tools](#) (ReadTheDocs Sphinx Theme) and [whey](#) (Furo Sphinx Theme).

---

**Note:** This documentation was generated with the following setting in `conf.py`:

```
toctree_plus_types = {"class", "function", "data"}
```

---

**Attention:** Observe that the methods of `AClass` do not appear in the TOC. This is a known limitation.

```
class AClass
```

```
    __repr__()
```

```
    __str__()
```

```
    __int__()
```

```
    __float__()
```

```
months = ['Jan', 'Feb', ...]
```

```
a_function(foo, bar, baz)
```





## API Reference

Enhanced Sphinx TocTree which shows classes and functions as if they were sections.

### Classes:

---

<code>TocTreePlusCollector()</code>	Subclass of <code>sphinx.environment.collectors.tocTree.TocTreeCollector</code> that includes classes and functions in the toctree as if they were sections.
-------------------------------------	--

---

### Functions:

---

<code>setup(app)</code>	Setup Sphinx Extension.
-------------------------	-------------------------

---

### **class** `TocTreePlusCollector`

Bases: `TocTreeCollector`

Subclass of `sphinx.environment.collectors.tocTree.TocTreeCollector` that includes classes and functions in the toctree as if they were sections.

### Methods:

---

<code>process_doc(app, doctree)</code>	Build a TOC from the doctree and store it in the inventory.
--	---

---

**process\_doc** (*app*, *doctree*)

Build a TOC from the doctree and store it in the inventory.

### Parameters

- **app** (`Sphinx`) – The Sphinx application.
- **doctree** (`document`)

**setup** (*app*)

Setup Sphinx Extension.

**Parameters** **app** (`Sphinx`) – The Sphinx application.

**Return type** `Dict[str, Any]`



## Downloading source code

The `toctree_plus` source code is available on GitHub, and can be accessed from the following URL: [https://github.com/sphinx-toolbox/toctree\\_plus](https://github.com/sphinx-toolbox/toctree_plus)

If you have `git` installed, you can clone the repository with the following command:

```
$ git clone https://github.com/sphinx-toolbox/toctree_plus
```

```
Cloning into 'toctree_plus'...
remote: Enumerating objects: 47, done.
remote: Counting objects: 100% (47/47), done.
remote: Compressing objects: 100% (41/41), done.
remote: Total 173 (delta 16), reused 17 (delta 6), pack-reused 126
Receiving objects: 100% (173/173), 126.56 KiB | 678.00 KiB/s, done.
Resolving deltas: 100% (66/66), done.
```

Alternatively, the code can be downloaded in a ‘zip’ file by clicking:

*Clone or download → Download Zip*




Fig. 1: Downloading a ‘zip’ file of the source code

## 4.1 Building from source

The recommended way to build `toctree_plus` is to use `tox`:

```
$ tox -e build
```

The source and wheel distributions will be in the directory `dist`.

If you wish, you may also use `pep517.build` or another **PEP 517**-compatible build tool.

## License

toctree\_plus is licensed under the [BSD 3-Clause “New” or “Revised” License](#)

---

A permissive license similar to the [BSD 2-Clause License](#), but with a 3rd clause that prohibits others from using the name of the copyright holder or its contributors to promote derived products without written consent.

### Permissions

- Commercial use – The licensed material and derivatives may be used for commercial purposes.
- Modification – The licensed material may be modified.
- Distribution – The licensed material may be distributed.
- Private use – The licensed material may be used and modified in private.

### Conditions

- License and copyright notice – A copy of the license and copyright notice must be included with the licensed material.

### Limitations

- Liability – This license includes a limitation of liability.
- Warranty – This license explicitly states that it does NOT provide any warranty.

[See more information on choosealicense.com](#) ⇒

---

```
Copyright (c) 2020-2021 by Dominic Davis-Foster <dominic@davis-foster.co.uk>
Copyright (c) 2007-2020 by the Sphinx team.
All rights reserved.
```

```
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
```

- ```
* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
```

```
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
```

(continues on next page)

(continued from previous page)

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## Python Module Index

### S

`sphinxcontrib.toctree_plus`, [5](#)





## Symbols

`__float__()` (*AClass method*), 3  
`__int__()` (*AClass method*), 3  
`__repr__()` (*AClass method*), 3  
`__str__()` (*AClass method*), 3

## A

`a_function()`  
    built-in function, 3  
*AClass* (*built-in class*), 3

## B

BSD 3-Clause "New" or "Revised"  
    License, 9  
built-in function  
    [a\\_function\(\)](#), 3

## M

module  
    [sphinxcontrib.tocTreePlus](#), 5  
*months* (*built-in variable*), 3

## P

`process_doc()` (*TocTreePlusCollector method*), 5  
Python Enhancement Proposals  
    PEP 517, 8

## S

`setup()` (*in module sphinxcontrib.tocTreePlus*), 5  
`sphinxcontrib.tocTreePlus`  
    module, 5

## T

`tocTreePlusTypes` (*configuration value*), 1  
*TocTreePlusCollector* (*class in sphinxcontrib.tocTreePlus*), 5